

INDEX

- adjust fire, 5-1, 5-4, 5-5
- adjustment, type of, 2-24 (table), 5-3
- ammunition, 2-2
 - amount, 2-21
 - lots, 2-3
 - types of 2-21, 5-3
 - quick smoke, 9-12
- angle T, 4-10 (illus)
- attack, method of, 2-19, 2-24 (table)
- attack, size of, 2-20

- Ballistic Met Message, DA Form 3675, 4-19 (illus), 4-23
 - computation, 4-23
 - receipt of, 4-18
 - recording, 4-23
 - reregistration, 4-35
 - use of, 4-17
- ballistics, 2-1, 2-10
 - battle area fire, 2-15
 - exterior, 2-1, 2-5
 - interior, 2-2
- below pivot-point method without range arms, 12-1

- call for fire, 5-1
 - authentication, 5-6
 - format, 5-5
 - quick smoke, 9-12
- certification, fire direction center, A-1, D-1
- collective training, A-2
- computer MET message, 4-31.1
- Computer's Record, DA Form 2399, 4-3 (illus), 8-12 (illus), 8-13 (illus), 14-2, 14-3 (illus)
- coordinated missions, firing of, 14-1
- crest clearance, B-2
- crosswind, 4-27

- DA Form 2188-R, Data Sheet, 4-7, 4-8 (illus)
- DA Form 2399, Computer's Record, 4-3 (illus)
- DA Form 2601-1, MET Data Correction Sheet for Mortars, 4-23, 4-25 (illus)
- DA Form 2601-2-R, MET Data Correction Sheet 6400 Mils (Mortars), 4-32 (illus), 4-34 (illus)
- DA Form 3675, Ballistic MET Message, 4-19 (illus) (See Also Ballistic MET Message)
- DA Form 5424-R, Terrain Mortar Position/ Special Corrections Worksheet, E-10, E-11 (illus)
- DA Form 5472-R, Computer's Record (MPI), 14-14, 14-15 (illus)
- Data Sheet, DA Form 2188-R, 4-8 (illus)
- Defensive Operations, Support of, 2-14
- deflection conversion table, 8-18 (illus), 12-22, 12-23 (illus), 14-3 (illus)
 - applying firing corrections, 14-9
 - determining firing corrections, 14-5

- determining range difference, 14-6
- direction, 2-1
- example, 12-23
- obtaining firing corrections, 14-4
- reregistration, 14-9
- targets, 2-2 (illus)
- deflection corrections, 14-7, 14-9
- disks
 - azimuth, 11-4
 - rotating, 2-1, 2-4
- dispersion and probability, 2- 10
- distance table, C-8 (table)
- distribution of bursts, 2-1
- digital message device
 - application, 10-1
 - communications, 10-1
 - transmitting message, 10-2
 - transmitting shot/splash, 10-2
- doctrine, I-1
- engagement, method of, 5-1, 5-3, 5-5
- equipment, fire control
 - preparation of, 7-1, 12-1
- estimation technique, E-1
- evaluation
 - commanders, A-1
 - external, A-2
 - individual, A-1
- examination
 - forward observer, A-2
 - gunner, A-1
- field-expedient survey techniques
 - graphic resection, C-1
 - hasty survey, C-4
- final protective fire, 2-12, 2-15, 9-7, 14-20
 - size and mortar type, 9-8 (table)
 - symbol, 2-12 (illus)
- fire and control, methods of, 5-3
 - equipment, 7-1
- fire control, technical, 8-9
- fire direction center
 - certification, A-1, D-1
 - order, 9-14 (illus)
 - organization, 3-1
 - personnel duties, 3-2
 - qualification, D-1
- fire direction
 - equipment, E-1
 - principles of, 3-1

fire for effect, 5-1
fire planning, 2-10
fire, rates of, 2-20 (table)
fire support coordination measures, 2-15
fire support plan,
 battalion, 2-18
 company, 2-16
fire, type of, 2-24 (table)
firing data, 2-1, E-13
firing tables, 2-7, 2-8 (illus), 4-27 (illus), 4-28 (illus), 4-29 (illus)
 standard range, 2-9
 unit corrections, 2-8
fundamentals, 2-1
fuzes, types of, 2-21

graphic resection, C-1
grid mission, 8-1, 12-24, 14-18
gun-target azimuth chart, 8-14 (table)

hasty survey, C-4
hasty terrain positions, G-11
hasty traverse technique, G-2

illumination, 2-21, 8-22, 13-13
 coordinated, 8-25
 types of, 8-12
immediate suppression or immediate smoke, 5-2, 9-10
indirect fire team, 1-2, 1-3 (illus)
individual training, A- I

long-range fire, 2-14

maximum rate of fire, 2-20 (table)
mean point of impact,
 dispersion pattern, 2-9
message to observer, 5-5
MET Data Correction Sheet 6400 Mils (Mortars), DA Form 2601-2-R, 4-33 (illus), 4-34 (illus)
MET Data Correction Sheet for Mortars, DA Form 2601-1, 4-23, 4-25 (illus)
meteorological (MET) corrections, 4-35
MET message (See Ballistic MET Message)
mil conversion table, E-13 (table)
missions, types of, 8-1
 grid, 12-24, 8-1
 illumination, 13-13
 noncoordinated missions, firing of, 14-1
 polar, 12-25, 8-7
 searching and zone fire, 13-6
 shift, 12-24, 8-5
 traversing fire, 13-1
modified-observed firing chart, 12-14

- mortar ballistic computer, 7-1 (illus)
 - audio alarm, 6-7
 - capabilities, 6-8
 - data entry, types of, 7-7
 - description, 6-1
 - action switches, 6-3, 6-4 (illus)
 - alphanumeric and minus sign keys, 6-4 (illus)
 - display switches, 6-6 (illus)
 - fire mission switches, 6-5 (illus)
 - initialization switches, 6-1, 6-3 (illus)
 - LED indicators, 6-7 (illus)
 - output switches, 6-6 (illus)
 - switch panel, 7-1
 - tests, D-3
 - digital message device, 10- 1
 - error messages, 6-9
- mortar positions, 1-3
 - initialization, 7-5
 - memory storage, 6-9
 - plotting of, 12-10 (illus), 12-11 (illus)
 - at pivot point, 12-1, 12-11, 12-14
 - below pivot point, 12-14
 - parallel-line plotting, 12-11, 12-12 (illus)
 - special keys and functions, 9-16
- muzzle velocity, 2-3
 - nonstandard, 2-3
 - standard, 2-3
- noncoordinated missions, firing of, 14-1
- observed firing charts
 - below pivot-point method, 12-9
 - pivot-point method without use of range arms, 12-1
- offensive operations, support of, 2-14
- offensive unit training, A-2
- organization, 1-1
- pattern of bursts, 2-1
 - dispersion, 2-9
 - random, 2-3
 - regular, 2-3
- piece displacement, E-2 (illus)
 - estimation technique, E-1
 - hasty traverse technique, E-2
 - pacing technique, E-1
- pivot-point method without use of range arms, 12-1
- plotting boards
 - capabilities, 11-4

- care and cleaning, 12-14
- certification, D-1
- field-expedient method of construction, 12-17
- M16, E-2, E-3, 11-1, 11-2 (illus)
- M19, E-1, E-3, 11-3 (illus)
- observer corrections, 12-5, 12-6 (illus)
- preparation, 12-1, 12-2 (illus)
- polar mission, 12-25, 14-18
- probable error, 2-3
- projectile, 2-27 (illus)

- quick smoke, 9-12, 9-13 (chart)

- range corrections, 4-30
- range correction factor, 14-6, 14-9, 14-14, 14-15
- range wind, 4-27
- registration, 14-1, B-4
 - coordinated, 9-1, 14-1
 - mean point of impact, 9-3, 14-12
- radar, 9-5, 14-18
- surveyed, plotting of, 14-2 (table)
- uncoordinated, 9-1
- updated corrections, 4-37 (illus), 14-16
- reregistration, 4-35, 14-9

- safety diagram, B-5, B-6 (illus)
- safety procedures
 - diagram, B-4, B-5 (illus)
 - safety T, B-6
 - surface danger zones, B-1, B-2 (illus)

- safety T, B-6
- searching fire, 8-19, 13-8
- sheaves, types of, 4-1, 8-10
 - adjustment, 9-1, 14-1
 - analysis, 2-19
 - considerations, 2-13
 - description, 2-17 (table)
 - registration, 2-19, 9-1
 - typical, 2-24 (table)
- shift mission, 12-24, 14-18
- suppression, 2-19

- target list, 2-17 (table)
- targets, 2-24
 - description, 2-2, 2-19, 5-2
 - locations, 5-2
 - plotting, 12-17
 - series of, 2-11, 2-12 (illus)

- transfer of, 12-19
- types of, 2-22, 2-24 (illus)
- terrain mortar positioning, 2-1, E-1
 - application to firing data, E-12
 - hasty terrain positions, E-13
 - modified technique, E-14
 - piece displacement, E-1, E-4
 - plotting board, M16/M19, E-2
 - transfer limits, E-8, G-6 (illus)
- Terrain Mortar Position/Special Corrections Worksheet, DA Form 5424-R, E-2 (illus)
- training
 - collective, A-2
 - evaluation, A-1
 - individual, A-1
 - strategy, A-1
 - unit, A-1
- training program integration, 1-2
- training strategy mortar, A-1
 - integrated, A-5
- trajectory, elements of, 2-6
 - elements, 2-6 (illus)
 - probable error, 2-3
- traversing fire, 8-11, 13-1
- type of mission
 - adjust fire, 5-1
 - fire for effect, 5-1
 - immediate suppressive/immediate smoke, 5-2
 - suppression, 5-2
- velocity trends, 2-3
 - dispersion, 2-3
- vertical interval, 2-1, B-2
- vertical interval correction factors
 - correction for, 14-17
 - determination of, 14-17, 14-18
- warning order, 5-1
 - target locations, 5-2
 - type of mission, 5-2
- zone
 - surface danger, B-1
- zone fire, 8-19, 13-8, 13-11
 - 100 meters, 8-21 (illus)
 - 200-meters, 8-22 (illus)